Data Sheet



AMILO A1645G Back to School Batch With Mobile AMD Processor

With the AMILO A1645G you are getting a truly mobile notebook with highest performance. This is a great multimedia notebook. It's coming in an elegant and slim design with an extra large 15.4" widescreen BrilliantView display (16:10 Format) for amazing sharp and detailed pictures. A S-Video out port, IEEE 1394, SPDIF and 3 USB 2.0 interfaces are built-in as standard to connect to all your digital peripherals and multimedia devices. The AMILO A1645G offers you high performance to a very attractive price.

Features

- n AMD mobile technology with Mobile AMD Sempron 3300+ processor
- n Enjoy the viewing quality of wide TFT BrilliantView displays with 15.4" WXGA
- n Unique 4 in 1 flash card port supports SD/MS/MMC/MSPRO multimedia storage cards
- n Connect your notebook to external peripherals, storage devices or video equipment through the various USB 2.0, SPDIF and IEEE 1394 ports
- **n** Built-in DVD burner with dual double layer support for maximum user comfort
- n 512MB DDR SDRAM in 2 SO-DIMM slot
- n Windows XP Home and Application Software



Operating system			
Windows XP Home,	Recovery	/ CD is	included

Fujitsu Siemens Computers recommends Microsoft® Windows® XP.

Application Software

- a) Works 8.0 or
- b) Works 8.0 with Office Trial Student & Teacher Edition

Magix Media Suite (optional) Sipgate (optional) Norton Internet Security 2005 or Norman Anti-Virus

DVD Playing & Burning Software

InterVideo WinDVD Nero burning ROM 6

Driver & Utility CD including

Drivers, Online Manual, Adobe Acrobat Reader Quick Touch application button utility

Internet Service Providers - country specific

Manual, Safety Guide and Warranty Guide

System, proces	ssors, architecture
Chipset:	Northbridge: SIS M760
	Southbridge: SIS 963L
CPU:	Mobile AMD Sempron [™] 3300+ / 25W /
	32 Bit / 256 KB 2nd level cache

Memory

2x 256MB DDR 333 SDRAM, (DDR 333 MHz) 2 memory DIMM slots (no memory on board)

Storage devices / drives

HDD: 60 or 80 GB IDE hard disk ODD: Multi format DVD burner with double layer support CD 24x / CD-R 24x / CD-RW 16x / DVD 8x / DVD+R 8x DVD-R 8x / DVD+RW 4x / DVD-RW 4x DVD+R DL 2.4x

Display:

BrilliantView 15.4" TFT WXGA, 1280 x 800 pixel Compliance with standards ISO 13406-2 class II

ACPI functions

S1 LCD off S3 stand by S4 hibernate

S5 soft off

Graphics:

Shared memory, integrated in SIS M760 chipset, up to 128MB

- DirectX 8.1
- 256 bit 3D-engine
- AGP 8x

I/O Interfaces

1x IEEE1394

- 3x USB 2.0 ports
- 1x S-Video
- 1x CRT
- 1x modem 1x LAN
- 4 in 1 flash card port SD/MS/MMC/MSPRO
- 1x type II PC Card slot (32 bit CardBus support)
- 1x line in
- 1x line in
- 1x headphone out
- 1x microphone in
- 1x power supply 1 x SPDIF

Communications

- § Built-in 56K, V.90 international modem
- § 10/100 Mbps LAN
 - integrated Wireless LAN (IEEE 802.11b/g) solution:
 - GEMtek/Broadcom WLAN
 - industry standard wireless LAN security support
 - Speeds up to 54 Mbps
 - Excellent performance through per packer antenna selection

For use in BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY, NL

Audio

Ş

AC97 codec, 2 built-in speakers, built-in

microphone, microphone in, headphone out shared with S/PDIF support

1x volume regulator (per function key)

Launch Keys

3 Launch Keys located on top of the keyboard enabling the user to launch the following applications:

- § E-mail
- § Internet browser
- § reduce noise level

Hot Keys

- The notebook uses hotkeys or key combinations for:
- Fn-F1 Suspend
- Fn-F3 Mute
- Fn-F4 Display toggle, switches display output between display screen and external monitor or to dual view
- Fn-F5 Volume up
- Fn-F6 Volume down
- Fn-F7 Increase display brightness
- Fn-F8 Decrease display brightness

Pointing device & control buttons

Touchpad with a left and right mouse button

Power button / lid switch

Status indicators

The notebook has 7 status icons:

Wireless communication, Caps lock, Num Lock, Scroll

Lock, Media activity (ODD/HDD), power status, silent mode

Security

User and supervisor password

Kensington lock support

Power system

Li-Ion battery, 6 cells, 10.8/11.1V / 4400mAh approximately 2:00 hrs battery runtime, depending on usage¹

Dynamic charge supported, ACPI 1.0b supported External universal AC adapter: 110 - 240 V AC, 50 - 60Hz, output: 65 W with 20V / 3.25A

Dimensions and weight

358 mm (W) x 272 mm (D) x 25.3 / 33.1(H)mm 3.00 kg²

Operating conditions

Operational: 5°C to 35°C (ambient temperature) 10% to 90% relative humidity, non-condensing AC input 100 - 240 V, 50 - 60 Hz

Certifications

CE Marking Warranty

Country specific terms

Options

AC adapter **USB Floppy Drive** Carrying cases

¹) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage. ²) Weight may vary depending on actual configuration

Fujitsu Siemens Computers http://www.fujitsu-siemens.com/

Published by

All rights, including rights created by patent grant or registration of a utility model or design as well as rights of technical modifications are reserved. Delivery subject to availability. Designations may be trademarks, the use of which by third parties for their own purposes may violate the rights of the trademark owners.